

APRIL 2024
DAIRY SIRES DIRECTORY



DAIRY BREEDS





INDICE

HOLSTEIN

| | |
|-----------|----|
| ARNOLD | 04 |
| FLOYD | 05 |
| FOOTBALL | 06 |
| GRYPHUS | 07 |
| PLATE | 08 |
| VLAHOVICH | 09 |
| ZEFIRO | 10 |
| ZEUS | 11 |





ARNOLD

Nato il: 01.01.2022

Frisona

AQUILA PORCHE ARNOLD ET | IT035991189722 | NAAB: 245HO00036



| PORSCHE | HOTJOB | CHARLEY

Correct morphology, traits and production distinguish this son of Aquila Porsche.

A2A2

TOP MILK

SEMEN SEX

| | -1 | 0 | 1 | 2 | |
|-------------------|----|---|---|---|-------------|
| Stature | | | | | 1.46 |
| Strength | | | | | 1.17 |
| Body Depth | | | | | 1.14 |
| Dairy Form | | | | | 1.15 |
| Rump Angle | | | | | 0.59 |
| Thurl Windth | | | | | 1.39 |
| R. Legs Side View | | | | | 0.29 |
| R. Legs Rear View | | | | | 0.77 |
| Foot Angle | | | | | 0.71 |
| Feet & Legs | | | | | 0.66 |
| F. Udder Att. | | | | | 0.86 |
| R. Udder Ht. | | | | | 1.61 |
| R. Udder Width | | | | | 1.95 |
| Udder Cleft | | | | | 0.61 |
| Udder Depth | | | | | 0.52 |
| F. Teat Place. | | | | | 0.05 |
| R. Teat Place. | | | | | 0.13 |
| Teat Length | | | | | 0.01 |

| | | | | | | | | | |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TPI | 2749 | PTAT | 1.27 | NM\$ | +698 | CM\$ | +707 | FM\$ | +618 |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|

PRODUCTIVE TRAITS

| | |
|---------------|--------------|
| Milk lbs | +1259 |
| Fat lbs | +78 |
| Protein lbs | +55 |
| Fat % | +0.10 |
| Protein % | +0.05 |
| Daughters | 0 |
| Herds | 0 |
| Rel % | 75 |
| Reliability % | 75 |

MANAGEMENT TRAITS

| | |
|---------------|-------------|
| Prod. life | 3.2 |
| S. cell Score | 3.02 |
| Dtr PG Rate | 0 |
| Livability | -2.2 |

MILK QUALITY

| | |
|----------|-------------|
| K-casein | AA |
| B-casein | A2A2 |

MORPHOLOGY TRAITS

| | | | |
|------------------|-------------|-------------|-------------|
| Udder Comp. | 0.87 | Body Comp. | 0.97 |
| Feet & legs Comp | 0.40 | Dairy Comp. | 1.18 |

TPI 2749

LPI 3230

GPFT 4002



FLOYD

Nato il: 24.12.2021

Frisona



SABBIONA FLOYD ET | IT098990855289 | NAAB: 245HO00032

| PORSCHE

| PURSUIT

| NIGHTSKY

Exceptional production and morphological data for this bull by Simers Farm and Sabbiona Farm Line with GPFT 4232 points.

A2A2

| | -1 | 0 | 1 | 2 | |
|-------------------|----|---|---|---|--------------|
| Stature | | █ | | | 0.98 |
| Strength | | █ | | | 0.68 |
| Body Depth | | █ | | | 0.43 |
| Dairy Form | | █ | | | 0.84 |
| Rump Angle | | █ | | | -0.08 |
| Thurl Windth | | █ | | | 0.96 |
| R. Legs Side View | | █ | | | 0.40 |
| R. Legs Rear View | | █ | | | 0.93 |
| Foot Angle | | █ | | | 0.64 |
| Feet & Legs | | █ | | | 0.79 |
| F. Udder Att. | | █ | | | 2.03 |
| R. Udder Ht. | | █ | | | 2.64 |
| R. Udder Width | | █ | | | 2.71 |
| Udder Cleft | | █ | | | 0.68 |
| Udder Depth | | █ | | | 1.85 |
| F. Teat Place. | | █ | | | 0.22 |
| R. Teat Place. | | █ | | | 2.01 |
| Teat Length | | █ | | | -0.09 |

| | | | | | | | | | |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TPI | 2871 | PTAT | 1.72 | NM\$ | +871 | CM\$ | +882 | FM\$ | +789 |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|

PRODUCTIVE TRAITS

| | |
|---------------|--------------|
| Milk lbs | +936 |
| Fat lbs | +69 |
| Protein lbs | +45 |
| Fat % | +0.11 |
| Protein % | +0.06 |
| Daughters | 0 |
| Herds | 0 |
| Rel % | 79 |
| Reliability % | 78 |

MANAGEMENT TRAITS

| | |
|---------------|-------------|
| Prod. life | 6.4 |
| S. cell Score | 2.92 |
| Dtr PG Rate | 1 |
| Livability | 1.5 |

MILK QUALITY

| | |
|----------|-------------|
| K-casein | AA |
| B-casein | A2A2 |

MORPHOLOGY TRAITS

| | | | |
|-------------------|-------------|-------------|-------------|
| Udder Comp | 1.95 | Body Comp. | 0.52 |
| Feet & legs Comp. | 0.65 | Dairy Comp. | 0.49 |

TPI 2871

LPI 3294

GPFT 4232



FOOTBALL

Nato il: 14.02.2019

Frisona



GO-FARM FOOTBALL ET | IT019991867447 | NAAB: 245HO00028

| TOPNOTCH

| DETOUR ET

| SUPERSHOT ET

Extremely interesting production traits and morphology combined with high fertility.

BB

TOP MILK

| | -1 | 0 | 1 | 2 | |
|-------------------|----|---|---|---|--------------|
| Stature | | | | | 0.05 |
| Strength | | █ | | | -0.66 |
| Body Depth | | █ | | | -0.86 |
| Dairy Form | | █ | | | -0.62 |
| Rump Angle | | | █ | | 0.22 |
| Thurl Windth | █ | | | | -1.27 |
| R. Legs Side View | | █ | | | -0.33 |
| R. Legs Rear View | | █ | | | -0.75 |
| Foot Angle | | | █ | | 0.50 |
| Feet & Legs | | █ | | | -0.11 |
| F. Udder Att. | | | █ | | 1.27 |
| R. Udder Ht. | | | █ | | 1.45 |
| R. Udder Width | | | █ | | 0.86 |
| Udder Cleft | | | █ | | 0.64 |
| Udder Depth | | | █ | | 1.75 |
| F. Teat Place. | █ | | | | -0.99 |
| R. Teat Place. | | █ | | | -0.21 |
| Teat Length | | | █ | | 1.07 |

| | | | | | | | | | |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TPI | 2431 | PTAT | 0.47 | NM\$ | +472 | CM\$ | +489 | FM\$ | +380 |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|

PRODUCTIVE TRAITS

| | |
|---------------|--------------|
| Milk lbs | +650 |
| Fat lbs | 0 |
| Protein lbs | +37 |
| Fat % | -0.09 |
| Protein % | +0.06 |
| Daughters | 0 |
| Herds | 0 |
| Rel % | 89 |
| Reliability % | 86 |

MANAGEMENT TRAITS

| | |
|---------------|-------------|
| Prod. life | 3.2 |
| S. cell Score | 3.02 |
| Dtr PG Rate | 1.4 |
| Livability | 2.3 |

MILK QUALITY

| | |
|----------|-------------|
| K-casein | BB |
| B-casein | A1A1 |

MORPHOLOGY TRAITS

| | | | |
|-------------------|--------------|-------------|--------------|
| Udder Comp. | 1.14 | Body Comp. | -0.46 |
| Feet & legs Comp. | -0.25 | Dairy Comp. | -1.32 |

TPI 2431

LPI 3178

GPFT 3954



GRYPHUS

Nato il: 15.06.2020

Frisona



CRISTELLA GRYPHUS ET | IT019992057135 | NAAB: 245HO00030

| MAESTRO

| MR RUB. DYNASTY

| MONTROS JEDI ET

A complete and balanced bull with good production, morphology and management traits. Great for cheese production and economic Index.

BB

TOP MILK

| | -1 | 0 | 1 | 2 | |
|-------------------|----|---|---|---|--------------|
| Stature | | █ | | | 0.74 |
| Strength | | █ | | | 0.30 |
| Body Depth | | █ | | | -0.18 |
| Dairy Form | | █ | | | -0.06 |
| Rump Angle | | █ | | | 0.44 |
| Thurl Windth | | █ | █ | | 1.03 |
| R. Legs Side View | | █ | | | -0.01 |
| R. Legs Rear View | | █ | | | 0.49 |
| Foot Angle | | █ | █ | | 0.77 |
| Feet & Legs | | █ | | | 0.59 |
| F. Udder Att. | | █ | █ | █ | 1.81 |
| R. Udder Ht. | | █ | █ | █ | 1.62 |
| R. Udder Width | | █ | █ | █ | 1.55 |
| Udder Cleft | | █ | | | 0.77 |
| Udder Depth | | █ | █ | █ | 1.98 |
| F. Teat Place. | | █ | █ | █ | 1.59 |
| R. Teat Place. | | █ | █ | █ | 1.27 |
| Teat Length | █ | | | | -1.42 |

| | | | | | | | | | |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TPI | 2766 | PTAT | 1.18 | NM\$ | +800 | CM\$ | +808 | FM\$ | +753 |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|

PRODUCTIVE TRAITS

| | |
|---------------|--------------|
| Milk lbs | +1473 |
| Fat lbs | +69 |
| Protein lbs | +53 |
| Fat % | +0.04 |
| Protein % | +0.02 |
| Daughters | 0 |
| Herds | 0 |
| Rel % | 82 |
| Reliability % | 81 |

MANAGEMENT TRAITS

| | |
|---------------|-------------|
| Prod. life | 4.1 |
| S. cell Score | 2.83 |
| Dtr PG Rate | -1.1 |
| Livability | 0.7 |

MILK QUALITY

| | |
|----------|-------------|
| K-casein | BB |
| B-casein | A1A2 |

MORPHOLOGY TRAITS

| | | | |
|-------------------|-------------|-------------|--------------|
| Udder Comp. | 1.50 | Body Comp. | 0.58 |
| Feet & legs Comp. | 0.46 | Dairy Comp. | -0.19 |

TPI 2766

LPI 3109

GPFT 4198



PLATE

Nato il: 29.12.2019

Frisona



WEH BASIC PLATE | DE000362322934 | NAAB: 245HO00029

| BASIC

| DYNAMO

| SUPERSHOT

Exceptional productions with a value exceeding 2000 kg. Extremely valid bull for morphology and longevity.

TOP MILK

| | -1 | 0 | 1 | 2 | |
|-------------------|----|---|---|---|-------|
| Stature | | | | | 0.12 |
| Strength | | █ | | | -0.48 |
| Body Depth | | █ | | | -0.49 |
| Dairy Form | | | █ | | 1.28 |
| Rump Angle | █ | | | | -0.95 |
| Thurl Windth | | | █ | | 0.76 |
| R. Legs Side View | | | █ | | 0.53 |
| R. Legs Rear View | | | | | 0.00 |
| Foot Angle | | █ | | | -0.11 |
| Feet & Legs | | █ | | | 0.32 |
| F. Udder Att. | | | █ | | 0.94 |
| R. Udder Ht. | | | | █ | 2.15 |
| R. Udder Width | | | █ | | 1.85 |
| Udder Cleft | | | █ | | 1.49 |
| Udder Depth | | | █ | | 0.89 |
| F. Teat Place. | | █ | | | 0.46 |
| R. Teat Place. | | | █ | | 1.18 |
| Teat Length | | █ | | | 0.21 |

| | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|
| TPI | 2760 | PTAT | 1.21 | NM\$ | +884 | CM\$ | +890 | FM\$ | +893 |
|-----|------|------|------|------|------|------|------|------|------|

PRODUCTIVE TRAITS

| | |
|---------------|-------|
| Milk lbs | +1937 |
| Fat lbs | +63 |
| Protein lbs | +53 |
| Fat % | -0.04 |
| Protein % | -0.02 |
| Daughters | 0 |
| Herds | 0 |
| Rel % | 82 |
| Reliability % | 80 |

MANAGEMENT TRAITS

| | |
|---------------|------|
| Prod. life | 5.5 |
| S. cell Score | 2.56 |
| Dtr PG Rate | -2.7 |
| Livability | 1.3 |

MILK QUALITY

| | |
|----------|------|
| K-casein | BE |
| B-casein | A1A2 |

MORPHOLOGY TRAITS

| | | | |
|-------------------|------|-------------|-------|
| Udder Comp. | 1.53 | Body Comp. | -0.83 |
| Feet & legs Comp. | 0.21 | Dairy Comp. | 0.14 |

TPI 2760

LPI 3216

GPFT 4129



VLAHOVIC

Nato il: 25.01.2022

Frisona



SABBIONA VLAHOVIC | IT098990855370 | NAAB: 245HO00033

| CHAMPION RED | PURSUIT | NIGHTSKY

Excellent production and morphological data for Vlahovic by Pursuit blood-line, with excellent easy calving and guaranteed longevity.

A2A2

| | -1 | 0 | 1 | 2 | |
|-------------------|----|---|---|---|--------------|
| Stature | | █ | | | 0.63 |
| Strength | | █ | | | 0.51 |
| Body Depth | | █ | | | 0.42 |
| Dairy Form | | █ | █ | | 1.28 |
| Rump Angle | █ | | | | -1.43 |
| Thurl Windth | | █ | █ | | 0.81 |
| R. Legs Side View | | █ | | | -0.14 |
| R. Legs Rear View | | █ | █ | | 0.80 |
| Foot Angle | | █ | █ | | 0.71 |
| Feet & Legs | | █ | █ | | 0.86 |
| F. Udder Att. | | █ | █ | | 1.04 |
| R. Udder Ht. | | █ | █ | █ | 1.75 |
| R. Udder Width | | █ | █ | █ | 2.18 |
| Udder Cleft | | █ | █ | | 1.22 |
| Udder Depth | | █ | | | 0.64 |
| F. Teat Place. | | █ | █ | | 1.11 |
| R. Teat Place. | | █ | █ | | 0.98 |
| Teat Length | █ | | | | -0.85 |

| | | | | | | | | | |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TPI | 2845 | PTAT | 1.35 | NM\$ | +859 | CM\$ | +870 | FM\$ | +783 |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|

| PRODUCTIVE TRAITS | | MANAGEMENT TRAITS | | MILK QUALITY | |
|-------------------|--------------|-------------------|--------------|--------------|-------------|
| Milk lbs | +858 | Prod. life | 4.6 | K-casein | AB |
| Fat lbs | +82 | S. cell Score | +2.86 | B-casein | A2A2 |
| Protein lbs | +41 | Dtr PG Rate | 0.7 | | |
| Fat % | +0.17 | Livability | 0.8 | | |
| Protein % | +0.05 | | | | |
| MORPHOLOGY TRAITS | | | | | |
| Daughters | 0 | Udder Comp. | 1.31 | Body Comp. | 0.08 |
| Herds | 0 | Feet & legs Comp. | 0.76 | Dairy Comp. | 0.84 |
| Rel % | 81 | | | | |
| Reliability % | 79 | | | | |

TPI 2845

LPI 3365

GPFT 4053



ZEFIRO

Nato il: 04.02.2022

Frisona



AQUILA CHAMPION ZEFIRO | IT035991189745 | NAAB: 245HO00034

| CHAMPION RED

| RIVETING-ET

| CHARLEY ET

Exceptional production data for Zefiro with productions over 1700 kg. B-casein A2A2, guaranteed easy calving and very valid longevity.

A2A2

TOP MILK

SEMEN SEX

| | -1 | 0 | 1 | 2 | |
|-------------------|----|---|---|---|-------|
| Stature | | | | | 0.40 |
| Strength | | | | | -0.26 |
| Body Depth | | | | | -0.33 |
| Dairy Form | | | | | 0.91 |
| Rump Angle | | | | | -1.37 |
| Thurl Windth | | | | | 0.88 |
| R. Legs Side View | | | | | 0.44 |
| R. Legs Rear View | | | | | 0.64 |
| Foot Angle | | | | | 0.57 |
| Feet & Legs | | | | | 0.68 |
| F. Udder Att. | | | | | 2.14 |
| R. Udder Ht. | | | | | 2.33 |
| R. Udder Width | | | | | 2.09 |
| Udder Cleft | | | | | 1.39 |
| Udder Depth | | | | | 1.47 |
| F. Teat Place. | | | | | 1.47 |
| R. Teat Place. | | | | | 1.83 |
| Teat Length | | | | | -1.45 |

| | | | | | | | | | |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TPI | 2824 | PTAT | 1.65 | NM\$ | +803 | CM\$ | +808 | FM\$ | +779 |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|

PRODUCTIVE TRAITS

| | |
|---------------|--------------|
| Milk lbs | +1533 |
| Fat lbs | +76 |
| Protein lbs | +50 |
| Fat % | +0.06 |
| Protein % | +0.01 |
| Daughters | 0 |
| Herds | 0 |
| Rel % | 81 |
| Reliability % | 79 |

MANAGEMENT TRAITS

| | |
|---------------|-------------|
| Prod. life | 3.8 |
| S. cell Score | 2.85 |
| Dtr PG Rate | -1.3 |
| Livability | -0.6 |

MILK QUALITY

| | |
|----------|-------------|
| K-casein | AA |
| B-casein | A2A2 |

MORPHOLOGY TRAITS

| | | | |
|-------------------|-------------|-------------|--------------|
| Udder Comp. | 1.88 | Body Comp. | -0.40 |
| Feet & legs Comp. | 0.62 | Dairy Comp. | 0.10 |

TPI 2824

LPI 3404

GPFT 4483



ZEUS

Nato il: 14.01.2022

Frisona



AQUILA MAHOMES ZEUS ET | IT035991189732 | NAAB: 245HO00035

DENTRO TORI CHIACCHIERINI PERUGIA

| MAHOMES ET

| DISCJOCKEY ET

| CHARLEY ET

Son of Mahomes. Confirms exceptional production and management traits, easy calving and longevity.

BB

A2A2

TOP MILK

SEMEN SEX

| | -1 | 0 | 1 | 2 | |
|-------------------|----|---|---|---|--------------|
| Stature | | █ | | | 0.15 |
| Strength | | █ | | | -0.23 |
| Body Depth | | █ | | | -0.20 |
| Dairy Form | | | █ | | 0.90 |
| Rump Angle | █ | | | | -0.97 |
| Thurl Windth | | █ | | | 0.55 |
| R. Legs Side View | | █ | | | -0.17 |
| R. Legs Rear View | | █ | | | 0.41 |
| Foot Angle | | █ | | | 0.55 |
| Feet & Legs | | █ | | | 0.35 |
| F. Udder Att. | | | █ | | 1.39 |
| R. Udder Ht. | | | █ | | 1.68 |
| R. Udder Width | | | █ | | 1.74 |
| Udder Cleft | | | █ | | 1.08 |
| Udder Depth | | | █ | | 0.82 |
| F. Teat Place. | | | █ | | 1.33 |
| R. Teat Place. | | | █ | | 1.42 |
| Teat Length | █ | | | | -1.03 |

| | | | | | | | | | |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TPI | 2816 | PTAT | 1.24 | NM\$ | +772 | CM\$ | +794 | FM\$ | +617 |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|

PRODUCTIVE TRAITS

| | |
|---------------|--------------|
| Milk lbs | +349 |
| Fat lbs | +89 |
| Protein lbs | +42 |
| Fat % | +0.27 |
| Protein % | +0.11 |
| Daughters | 0 |
| Herds | 0 |
| Rel % | 80 |
| Reliability % | 79 |

MANAGEMENT TRAITS

| | |
|---------------|--------------|
| Prod. life | +3.4 |
| S. cell Score | +2.77 |
| Dtr PG Rate | -0.1 |
| Livability | -1.1 |

MILK QUALITY

| | |
|----------|-------------|
| K-casein | BB |
| B-casein | A2A2 |

MORPHOLOGY TRAITS

| | | | |
|-------------------|-------------|-------------|--------------|
| Udder Comp. | 1.39 | Body Comp. | -0.48 |
| Feet & legs Comp. | 0.37 | Dairy Comp. | 0.10 |

TPI 2816

LPI 3349

GPFT 4648



CENTRO TORI CHIACCHIERINI

PERUGIA



Civitella d'Arna (Pg), strada del Richiavo 21/A



centrotori@chiacchierini.it



+39 075 602726



Centro Tori Chiacchierini

www.chiacchierini.it